

Shower Products
& Grab Rails





Grab Rails

All ASI JD MacDonald grab rails are fabricated of grade 304 stainless steel with a satin finish. A vast range of configurations are available to accommodate a variety of toilet settings, including accessible compliant spaces.

SHOWN: JDM-GFN-8 TOILET GRAB RAIL—SLOPING ARM 40 DEGREES FROM HORIZONTAL



 **JDM-GSN-(3-20)
STRAIGHT GRAB RAIL**

Satin stainless steel.

Overall Size:
300 - 2000 mm



 **JDM-GNN-9 (LH OR RH)
TOILET GRAB RAIL—SLOPING ARM
90 DEGREES FROM HORIZONTAL**

Satin stainless steel.

MODEL OPTION:
JDM-GTP-9 (LH or RH) 2 Piece Toilet
Grab Rail, includes 1 x JDM-GNN-9 and
1 x JDM-GSN-3.

Overall Size:
965 x 600 mm



 **JDM-GFN-8 (LH OR RH)
TOILET GRAB RAIL—SLOPING ARM
40 DEGREES FROM HORIZONTAL**


Satin stainless steel.

MODEL OPTION:
JDM-GTP-8 (LH or RH) 2 Piece Toilet
Grab Rail, includes 1 x JDM-GFN-8 and
1 x JDM-GSN-3.

Overall Size:
840 x 700 mm

TOILET ASSIST GRAB RAILS



 **JDM-GNN-11 (LH OR RH)**
TOILET GRAB RAIL—SLOPING ARM
90 DEGREES FROM HORIZONTAL

Satin stainless steel.

Overall Size:
1110 × 1040 × 600 mm




 **JDM-GFN-1 (LH OR RH)**
TOILET GRAB RAIL—SLOPING ARM
40 DEGREES FROM HORIZONTAL

Satin stainless steel.

Overall Size:
1110 × 950 × 700 mm



 **JDM-GAL**
TOILET GRAB RAIL—AMBULANT L
SHAPE X 2 = 1 PAIR

Satin stainless steel.

Overall Size:
450 × 450 mm



JDM-GOR
TOILET GRAB RAIL—WALL TO
FLOOR WITH OUTRIGGER

Satin stainless steel.

Overall Size:
800 × 900 × 300 mm




JDM-GDD
GRAB RAIL—DROP DOWN

Satin stainless steel. Adjustable to 3
positions.

MODEL OPTION:
JDM-GDD-TRH with Toilet Roll Hook.

Overall Size:
800 × 300 mm



JDM-GDD-NCL
GRAB RAIL DROP DOWN WITH
NURSE CALL AND LOCK

Satin stainless steel.

MODEL OPTION:
JDM-GDD-STL Without Nurse Call
provision.

Overall Size:
800 × 300 mm

GRAB RAILS WITH GERM SHIELD

ASI JD MacDonald offer a range of grab rails that include Germ Shield; a specially engineered design that includes both an internal and external rubber seal for added hygienic protection.

Germ Shield is designed to provide an additional barrier to help prevent build-up under the flange of soap scum, body fluids and other unwanted bacteria creating fluids.

WHAT MAKES GRAB RAILS WITH GERM SHIELD UNIQUE?

304
STAINLESS
STEEL

STAINLESS STEEL CONSTRUCTION

Made of high quality 304 stainless steel which is tough, durable, stain resistant and easy to clean.

HYGENIC

HYGENIC

Protective rubber seals prevent the build-up of unwanted and unhygienic bacteria behind the flange.

EASY
TO INSTALL


EASY INSTALLATION

Simply unscrew the Flange Cover and use the Flange as a guide to mark the wall surface and sit the External Rubber Seal on the Flange and fit to the wall using the guide marks.



COMPLIANT

Suitable for use in Accessible Compliant washrooms in accordance with AS1428.1-2009.




GRAB RAILS WITH GERM SHIELD FEATURES

- Easy to use
- Sanitary, safe and strong
- Easy to clean
- Durable

TOILET ASSIST GRAB RAILS WITH GERM SHIELD




 **JDM-GSS-(3-7)**
STRAIGHT GRAB RAIL WITH GERM SHIELD

Satin stainless steel.

Overall Size:
300 - 700 mm




 **JDM-GNS-9 (LH OR RH)**
GRAB RAIL—SLOPING ARM 90 DEGREES WITH GERM SHIELD

Satin stainless steel.


Overall Size:
965 x 600 mm



 **JDM-GFS-8 (LH OR RH)**
GRAB RAIL—SLOPING ARM 40 DEGREES WITH GERM SHIELD

Satin stainless steel.

Overall Size:
840 x 700 mm



JDM-GFS-1 (LH OR RH)
GRAB RAIL—SLOPING ARM 40 DEGREES WITH GERM SHIELD

Satin stainless steel.

Overall Size:
1110 x 950 x 700 mm



JDM-GNS-1 (LH OR RH)
GRAB RAIL—SLOPING ARM 90 DEGREES WITH GERM SHIELD

Satin stainless steel.

Overall Size:
1110 x 1040 x 600 mm

BACK RESTS

FOR NEW AND EXISTING ACCESSIBLE TOILETS

Made specifically for use within accessible toilets, the ASI JD MacDonald Back Rest is accessible compliant and designed for people who require extra assistance.

Australian made and AS1428.1-2009 compliant, the ergonomically designed modular back rest is available with either a polyurethane padded waterproofed back or the vandal proof satin stainless steel back.

WHAT MAKES OUR BACK RESTS UNIQUE?

**SAFE &
SECURE**

DESIGN FEATURES

Designed for safety, security and convenience for those who require special assistance, the ASI JD MacDonald Back Rest is manufactured from 304 grade stainless steel, providing maximum strength and user confidence.

Suitable for
Exposed or
Concealed
Cisterns

ADAPTABLE

The ASI JD MacDonald Back Rest range is adaptable to different cisterns and is designed in two varying shapes which are cut to size on site to ensure a perfect fit every time. Grab Rail Combination Kits (for use with exposed cisterns) easily connect to the Dropped Arm Back Rest design giving an appealing aesthetic with less unsightly flanges crowding your walls. Also available is the ASI JD MacDonald Straight Arm Back Rest to suit concealed cisterns.

**AS1428.1-2009
COMPLIANT**

COMPLIANT

Tested to comply with AS1428.1-2009 and comes with a 12 month warranty.

BACK RESTS FEATURES

- Ergonomically designed
- Options available for vandal prone areas
- Durable
- Easy to clean

TOILET ASSIST BACK RESTS



PBR35 POLYURETHANE STRAIGHT ARM BACK REST

The ASI JD MacDonald Straight Arm Back Rest is ideal for use in accessible toilets where grab rails are required for use with concealed cisterns. Ergonomically designed, the polyurethane padded back rest is waterproof, fully welded and finished in a 304 grade satin stainless steel. This unit is designed to give maximum strength and confidence.

MODEL OPTION:

PBR35SS Similar to PBR35 but with welded satin stainless steel back rest for use in high vandal prone areas within accessible toilets.




PBR35A POLYURETHANE DROPPED ARM BACK REST

For use in fully refurbished or new accessible toilets and used in conjunction with the grab rail attachments displayed below. Minimises the clutter of unsightly flanges surrounding the grab rails by using a modular connected system which meets Australian Standards. This unit is designed to give maximum strength and user confidence for use with exposed cisterns.

MODEL OPTION:


PBR35ASS Similar to PBR35A but with welded satin stainless steel back rest for use in high vandal prone areas within accessible toilets.



GRE07 (LH or RH) GRAB RAIL 90 DEGREES

Used in conjunction with the ASI JD MacDonald Dropped Arm Back Rest for exposed cisterns. Fully welded construction in a 304 grade satin stainless steel finish, AS1428.1-2009 compliant, designed for safety and security. Easy to install. Requires a nominated handing of left (LH) or right (RH).


Overall Size:
600 mm x 950 mm



GRE08 (LH or RH) GRAB RAIL 40 DEGREES

Used in conjunction with the ASI JD MacDonald Dropped Arm Back Rest for exposed cisterns. Fully welded construction in a 304 grade satin stainless steel finish, AS1428.1-2009 compliant, designed for safety and security. Easy to install. Requires a nominated handing of left (LH) or right (RH).

Overall Size:
700 mm x 880 mm




GRE300 GRAB RAIL STRAIGHT

Used in conjunction with the ASI JD MacDonald Dropped Arm Back Rest for exposed cisterns. Fully welded construction in a 304 grade satin stainless steel finish, AS1428.1-2009 compliant, designed for safety and security. Easy to install.

Overall Size:
300 mm




 **JDM-GIT-7 (LH OR RH)**
INVERTED 'T' HORIZONTAL & VERTICAL SHOWER GRAB RAIL
—1 PIECE

Satin stainless steel.

Overall Size:
700 × 1100 mm




 **JDM-GEC-1 (LH OR RH)**
EXTENDED COMBINATION HORIZONTAL & VERTICAL SHOWER GRAB RAIL
—1 PIECE

Satin stainless steel.

Overall Size:
1000 × 760 × 1100 mm



 **GCSS1040E**
SHOWER GRAB RAIL STRAIGHT—CLEAN SEAL SYSTEM WITH EASY SLIDER + SK-HSKF SHOWER KIT + GRSS-ESH HANDLE

Overall Size:
1040 mm



 **GRCSES29 (LH OR RH)**
SHOWER GRAB RAIL—CLEAN SEAL SYSTEM WITH EASY SLIDER + GRSS-ESH HANDLE

Overall Size:
700 × 1100 mm



 **GCS34 (LH OR RH)**
SHOWER GRAB RAIL—CLEAN SEAL SYSTEM WITH EASY SLIDER + GRSS-ESH HANDLE

Overall Size:
1000 × 760 × 1100 mm

SHOWER PRODUCTS



GRSS-SK1
SHOWER KIT—INCLUDES HANDSET, 1.5M HOSE, NON
RETURN VALVE & WALL OUTLET

Not suitable for use with grab rails.

SK-HSKF
SHOWER KIT—INCLUDES HANDSET, 1.5M HOSE, NON
RETURN VALVE & WALL OUTLET

Can be used with **GRCSES29** & **GCS34**



GRSS-ESH
EASY SLIDE HANDLE—OPTIONAL
ACCESSORY FOR SHOWER RAILS
WITH SLIDERS

Recommended for seated users.



GRCS11
SHOWER CRADLE—FOR STANDARD
32MM DIAMETER GRAB RAILS



GRSC11SD
SHOWER CRADLE & SOAP DISH FOR
STANDARD 32MM DIAMETER GRAB
RAILS

SHOWER PRODUCTS



JDMTRACK SHOWER CURTAIN TRACKS

Various straight and 'L' shape lengths available. Tracks can be cut to size on site. Shower tracks come with hooks (curtains to be ordered separately). Custom sizes available on request.

| Code | Shape | Size | 1000 mm Ceiling Support | Finish |
|-----------------|----------|--------------|-------------------------|----------|
| JDMTRACK-L1000 | L-shape | 1000x1000 mm | Yes | White |
| JDMTRACK-L1200 | L-shape | 1200x1200 mm | Yes | White |
| JDMTRACK-L1200A | L-shape | 1200x1200 mm | Yes | Anodised |
| JDMTRACK-L1600 | L-shape | 1600x1600 mm | Yes | White |
| JDMTRACK-S1000 | Straight | 1000 mm | No | White |
| JDMTRACK-S1200 | Straight | 1200 mm | No | White |
| JDMTRACK-S1500 | Straight | 1500 mm | No | White |
| JDMTRACK-S2000 | Straight | 2000 mm | Yes | White |



JDMROD SHOWER CURTAIN RODS

Satin stainless steel. Various straight and 'L' shape lengths available. Available with fixed or loose end flanges. Custom sizes available on request.

| Code | Shape | Size | Fixed or Loose End Flanges | 1000 mm Ceiling Support | Curtains Required |
|----------------|----------|--------------|----------------------------|-------------------------|-------------------|
| JDMROD-L1000 | L-shape | 1000x1000 mm | Fixed | Yes | 2 |
| JDMROD-L1200 | L-shape | 1200x1200 mm | Fixed | Yes | 2 |
| JDMROD-L1200-M | L-shape | 1200x1200 mm | 2xLoose | Yes | 2 |
| JDMROD-L1600-M | L-shape | 1600x1600 mm | 2xLoose | Yes | 2 |
| JDMROD-S1000 | Straight | 1000 mm | Fixed | No | 1 |
| JDMROD-S1200 | Straight | 1200 mm | Fixed | No | 1 |
| JDMROD-S1200-M | Straight | 1200 mm | 1xLoose | No | 1 |
| JDMROD-S1500-M | Straight | 1500 mm | 1xLoose | No | 1 |
| JDMROD-S2000 | Straight | 2000 mm | Fixed | Yes | 1 |



JDMCURT-NT SHOWER CURTAIN NYLON TAFETA WHITE WEIGHTED

Various widths x 1800mm drop length (hooks to be ordered separately. 8 hooks required per metre). Custom sizes available on request.

| Code | Material | Width | Drop |
|-----------------|---------------|---------|---------|
| JDMCURT-NT-1118 | Nylon Taffeta | 1100 mm | 1800 mm |
| JDMCURT-NT-1318 | Nylon Taffeta | 1300 mm | 1800 mm |
| JDMCURT-NT-1618 | Nylon Taffeta | 1600 mm | 1800 mm |
| JDMCURT-NT-2218 | Nylon Taffeta | 2200 mm | 1800 mm |
| JDMCURT-NT-2518 | Nylon Taffeta | 2500 mm | 1800 mm |
| JDMCURT-NT-3018 | Nylon Taffeta | 3000 mm | 1800 mm |

MODEL OPTION:

10-1200-SHU Shower curtain hook.



JDMCURT-BSP SHOWER CURTAIN BOX STRIPE WHITE POLYESTER

Various widths x 1800mm drop length (hooks to be ordered separately. 8 hooks required per metre). Custom sizes available on request.

| Code | Material | Width | Drop |
|------------------|----------------------|---------|---------|
| JDMCURT-BSP-1118 | Box Stripe Polyester | 1100 mm | 1800 mm |
| JDMCURT-BSP-1318 | Box Stripe Polyester | 1300 mm | 1800 mm |
| JDMCURT-BSP-1618 | Box Stripe Polyester | 1600 mm | 1800 mm |
| JDMCURT-BSP-2218 | Box Stripe Polyester | 2200 mm | 1800 mm |
| JDMCURT-BSP-2518 | Box Stripe Polyester | 2500 mm | 1800 mm |
| JDMCURT-BSP-3018 | Box Stripe Polyester | 3000 mm | 1800 mm |

MODEL OPTION:

10-1200-SHU Shower curtain hook.

SHOWER SEATS




SS600S
FOLDING SHOWER SEAT—SATIN STAINLESS STEEL/WHITE ACRYLIC DECK

Overall Size:
 600 × 400 mm

SS350 350 × 330 mm



 **SS960A**
FOLDING SHOWER SEAT—ACCESSIBLE COMPLIANT SATIN STAINLESS STEEL WITH ALUMINIUM—SLATS POWDER COATED WHITE

Overall Size:
 960 × 400 mm



 **SS960S**
FOLDING SHOWER SEAT—ACCESSIBLE COMPLIANT SATIN STAINLESS STEEL WITH SOLID WHITE ACRYLIC DECK

Overall Size:
 960 × 400 mm



 **10-8203-M-AU**
FOLDING SHOWER SEAT—ACCESSIBLE COMPLIANT PHENOLIC IVORY

Phenolic seat is 8mm thick ivory colour top with black edges. Frame, support legs, flanges and bracket are type 304 satin finish stainless steel. Support arm folds up when in retracted position to provide low profile against wall. Guide bracket controls seat lowering into operating position.

Overall Size:
 970 × 395 mm



SS960BR
BARIATRIC FOLDING SHOWER SEAT WITH WHITE ACRYLIC DECK AND SATIN STAINLESS STEEL LEGS

Made for bariatric patients. Seat is slotted and slip resistant with rounded edges. It has a static load rating of 350kg.

Overall Size:
 960 × 370 mm



Welcome to ASI JD MACDONALD: where innovation, speed and reliability provide peace of mind

JD MacDonald expanded into Washroom Accessories in 1959 - since then we have developed a following among Building Owners, Architects and Construction Professionals who count on us because we consistently deliver on a promise of quality, value, impeccable customer service and choice.

In 2013 JD MacDonald was acquired by the ASI Group and as the newly founded ASI JD MacDonald, we continue to provide more choices in hand dryers, paper towel dispensers, waste bins, combination units, grab rails, baby changing stations, soap dispensers, toilet paper dispensers and much more. We also offer a range of waste management products – garbage / linen chutes and rotobins.

ASI GROUP

Privately owned and operated since inception the ASI Group now has operating units and offices in the US, Canada, Australia, Belgium, UK, Middle East and China, with sales in over 50 countries.

For over 50 years our companies have been known for innovative products and the widest choice in product and material for Washroom Accessories, Toilet Partitions, Lockers and other storage devices. Our nimble management philosophy allows us to deliver more products in 48 hours than anyone else in our industry and our flexibility allows us to create unique products to suit specific needs.

You will find one common thread that ties our family of companies together - a singular focus on our customer. That focus is captured in our mission statement: **“To make our customers successful by providing a value greater than price and an excellent service experience.”** www.asigroup.us

OUR GLOBAL REACH: Allow our experienced architectural team to help you deliver on your promise of excellence as they have delivered on some of the most prestigious projects worldwide:

Corporate World HQ: Apple Corp., Coca Cola Corp., Facebook, Goldman Sachs (US)

Intl. Offices: Microsoft, Intel (China), HSBC (Egypt), Residence Palace, Antwerp Port House (Belgium)

Airports: Canberra Airport (AUS), JFK Intl., DFW Intl., Logan Intl. (US), Hong Kong Intl. (China)

Education: NYU Dormitories (UAE), Yale Univ., Stanford Univ., Univ. of Notre Dame (US)

Medical: Red Cross (AUS), Memorial Sloane Kettering, Mayo Clinic (US), Al Mafraq Hosp. (UAE)

Hospitality: Crown Plaza (Jordan), Ritz Carlton (US), Kempinski Hotel, Intercontinental Hotel (Qatar)

Entertainment: Shanghai Disney (China), Plopsa Water Parks (EU), MGM Grand Casino, Lincoln Center (US)

Stadiums: Yankee Stadium, Madison Square Garden (US), Doha Rugby and Football Stadium (Qatar)

Government: Royal Australian Airforce Base (AUS), US Embassy (China), Great Lakes Naval Base (US)

MORE CHOICES: Every building type, physical environment, project size and geography

- Hospitals and Health Care
- Universities and School Districts
- Office Buildings
- Stadiums and Fitness Facilities
- Airports and Travel Hubs
- Government Buildings & Convention Centers
- Prisons and Security Facilities
- Restaurants and Chain Stores
- Hotels and Multi-Family Buildings
- Theatres and Entertainment Complexes
- Museums and Libraries
- Theme Parks and Shopping Malls
- Parks and Recreation Facilities
- Warehouses / Manufacturing / Food Service Plants

ASI JD MacDonald: Your single source for privacy, hygiene, safety and eco-friendly products.



ASI JD MacDonald Pty Ltd
ABN: 61 162 663 872

48 Smith Road
Springvale, VIC 3171

Free Call 1800 023 441
Ph: 03 8558 7200 Fax: 03 9548 1141

E-mail: enquiry@asijdmacdonald.com.au
www.asijdmacdonald.com.au