SAFETY STAIR EDGING | POSITREAD® SERIES



PosiTread FineLine Angle

PosiTread[®] Series

ARCHITECTURAL SAFETY STAIR EDGING



THE SLEEK ARCHITECTURAL OPTION

Available in four different styles, and as both angles and treads, PosiTread[®] is a sleek, architectural option that will enhance the aesthetic of any space. Manufactured from hard anodised aluminium, PosiTread[®] features great looks without compromising on safety and is the first choice for many specifiers when looking for a low profile stair nosing that complies with all standards. PosiTread[®] is available with P4 or P5 anti-slip rating so is suitable for use in both wet and dry environments. Finished in natural silver, black or brushed black aluminium, PosiTread[®] is backed by CTA's five year manufacturers warranty.

PERFECT FOR

Light traffic areas both internally and externally where an architectural finish and safety are paramount.


WHERE IS POSITREAD® USED

PosiTread[®] has become many specifiers first choice for outstanding aesthetic, performance and price. It has been installed in hundreds of projects around Australia, including:

- Swanston Square Apartments / ProBuild
- Valley Park Reserve / Supergardens
- TNT Freight Transport Facility / Qanstruct
- The Haven at West Melbourne / LU Simon
- The Village, Yeronga / Condev Construction

PosiTread[®] Profiles

PosiTread[®] is available in the four surface profiles shown below, as both tread and angle variants and in natural silver, black or black brushed. Please see specific product for further information.




PosiTread® Carpet Adaptor

ENSURING SAFE, SECURE AND STYLISH CARPETED STAIRS

Traditionally low profile safety stair edging hasn't been installed over carpet as the bulk, cushioning and spring inherent in carpet causes the stair edging to buckle or pop up. The PosiTread® carpet adaptor is purpose designed to fix this problem and allows the installation of low profile safety stair edging over carpet covered stairs. Fixed to the substrate, it provides a solid base for the edging to adhere to, and allows the carpet to be securely tucked away once installed.



PosiTread® Ridge




Natural Silver



PosiTread® Ridge provides a P5 slip resistance rating when tested to AS4586:2013. (SRV=63)

- ✓ Manufactured from high quality, hard anodised aluminium extrusion
- ✓ Supplied to length up to 3.6m
- \checkmark Installed directly onto stair treads using a suitable adhesive
- ✓ NCC compliant, with a 5 year warranty


MODEL	FINISH	PRODUCT CODE
Ridge Angle	Natural Silver	UMD060
	Black Brushed	UMD065
	Black	UMD041
Ridge Tread	Natural Silver	UMD042
	Black Brushed	UMD045
	Black	UMD040
Ridge Carpet	Natural Silver	UMD060C
	Black Brushed	UMD065C
	Black	UMD041C



RIDGE TREAD

Contact CTA for carpet profile details

PosiTread[®] FineLine




Natural Silver



PosiTread® FineLine provides a P4 slip resistance rating when tested to AS4586:2013. (SRV=48)

- ✓ Manufactured from high quality, hard anodised aluminium extrusion
- ✓ Supplied to length up to 3.6m
- ✓ Installed directly onto stair treads using a suitable adhesive
- ✓ NCC compliant, with a 5 year warranty

MODEL	FINISH	PRODUCT CODE
FineLine Angle	Natural Silver	UMD050
	Black	UMD052
FineLine Tread	Natural Silver	UMD030
	Black	UMD032
FineLine Carpet	Natural Silver	UMD050C
	Black	UMD052C




FINELINE TREAD

Contact CTA for carpet profile details

PosiTread[®] Channel





Natural Silver




PosiTread® Ridge provides a P4 slip resistance rating when tested to AS4586:2013. (SRV=40)

- ✓ Manufactured from high quality, hard anodised aluminium extrusion
- ✓ Supplied to length up to 3.6m
- \checkmark Installed directly onto stair treads using a suitable adhesive
- ✓ NCC compliant, with a 5 year warranty


MODEL	FINISH	PRODUCT CODE
Channel Angle	Natural Silver	UMD036
	Black Brushed	UMD039
	Black	UMD038
Channel Tread	Natural Silver	UMD034
	Black Brushed	UMD033
	Black	UMD035
Channel Carpet	Natural Silver	UMD036C
	Black Brushed	UMD039C
	Black	UMD038C





Contact CTA for carpet profile details

PosiTread® Groove




Natural Silver



PosiTread® FineLine provides a P4 slip resistance rating when tested to AS4586:2013. (SRV=42)

- ✓ Manufactured from high quality, hard anodised aluminium extrusion
- ✓ Supplied to length up to 3.6m
- ✓ Installed directly onto stair treads using a suitable adhesive
- ✓ NCC compliant, with a 5 year warranty

MODEL	FINISH	PRODUCT CODE
Groove Angle	Natural Silver	UMD055
	Black	UMD058
Groove Tread	Natural Silver	UMD054
	Black	UMD053
Groove Carpet	Natural Silver	UMD055C
	Black	UMD058C



GROOVE TREAD

Contact CTA for carpet profile details